

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 5/03/2013 Revision date: 16/02/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B- 8870 Izegem
Belgium
T +32 (0) 51 30 80 54 - F +32 (0) 51 30 99 78
info@rubiomonocoat.com - www.rubiomonocoat.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.
EUH-statements : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH208 - Contains 2-methyl-2H-isothiazol-3-one (MIT), 3-iodo-2-propynyl butylcarbamate, 1,2-benzisothiazol-3(2H)-one (BIT). May produce an allergic reaction.

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-iodo-2-propynyl butylcarbamate (55406-53-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43	3,32	Flam. Liq. 2, H225 Eye Irrit. 2, H319
3-iodo-2-propynyl butylcarbamate	CAS-No.: 55406-53-6 EC-No.: 259-627-5 EC Index-No.: 616-212-00-7 REACH-no: 01-2120762115-60	0,18	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
1,2-benzisothiazol-3(2H)-one (BIT)	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60	0,01	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-methyl-2H-isothiazol-3-one (MIT)	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50	0,001	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one (BIT)	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60	(0,05 ≤C < 100) Skin Sens. 1, H317
2-methyl-2H-isothiazol-3-one (MIT)	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50	(0,0015 ≤C < 100) Skin Sens. 1A, H317

Comments : Contains titanium dioxide particles with aerodynamic diameter ≤ 10 µm (≥ 1%)
Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation : under the recommended handling conditions: not required.
First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water.
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion : In all cases of doubt, or when symptoms persist, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Get medical advice/attention if you feel unwell.
Symptoms/effects after inhalation : None under normal conditions.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : None under normal conditions.
Symptoms/effects after ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water spray, carbon dioxide (CO2), foam and powder.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Prevent fire fighting water from entering the environment.
Protection during firefighting	: Self-contained breathing apparatus.
Other information	: Exercise caution when fighting any chemical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Notify police and fire brigade as soon as possible.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Collect spillage.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)	
Belgium - Occupational Exposure Limits	
Limit value [mg/m³]	1907 mg/m³
Limit value [ppm]	1000 ppm
France - Occupational Exposure Limits	
VME [mg/m³]	1900 mg/m³
VME [ppm]	1000 ppm
VLE [mg/m³]	9500 mg/m³
VLE [ppm]	5000 ppm
Netherlands - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m³)	260 mg/m³
Grenswaarde TGG 8H (ppm)	136 ppm
Grenswaarde TGG 15MIN (mg/m³)	1900 mg/m³
Grenswaarde TGG 15MIN (ppm)	992 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	1920 mg/m³
WEL TWA (ppm)	1000 ppm
Switzerland - Occupational Exposure Limits	
VME [mg/m³]	960 mg/m³
VLE [mg/m³]	1920 mg/m³
USA - ACGIH - Occupational Exposure Limits	
ACGIH STEL (ppm)	1000 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Appearance	: Liquid.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: $\approx 0\text{ }^{\circ}\text{C}$
Freezing point	: $\approx 0\text{ }^{\circ}\text{C}$
Boiling point	: $\approx 100\text{ }^{\circ}\text{C}$
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: $> 60\text{ }^{\circ}\text{C}$
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: $> 1,01\text{ kg/l}$
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction. Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Bases. Acids. Oxidising agents.

10.6. Hazardous decomposition products

Under fire conditions, hazardous fumes will be present.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)

LD50 oral rat	120 mg/kg bodyweight
LD50 dermal rat	242 mg/kg bodyweight
LC50 Inhalation - Rat	0,11 mg/l

3-iodo-2-propynyl butylcarbamate (55406-53-6)

LD50 oral rat	1470 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	0,67 mg/l

1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

LD50 oral rat	490 mg/kg bodyweight
LD50 oral	1020 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
LD50 dermal	4115 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	100 mg/l

Ethanol (64-17-5)

LD50 oral rat	10470 mg/kg bodyweight
---------------	------------------------

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethanol (64-17-5)	
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 15800 mg/kg bodyweight
LD50 dermal	15800 mg/kg bodyweight
LC50 Inhalation - Rat	124,7 mg/l air
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l
LC50 Inhalation - Rat (Vapours)	51-124,7
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

3-iodo-2-propynyl butylcarbamate (55406-53-6)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Ecological problems are not known or expected under normal use.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)	
ErC50 (algae)	0,23 mg/l
3-iodo-2-propynyl butylcarbamate (55406-53-6)	
LC50 fish 1	0,2 mg/l
LC50 fish 2	0,067 mg/l
EC50 Daphnia 1	0,16 mg/l
EC50 Daphnia 2	60 mg/l
ErC50 (algae)	> 41,3 mg/l
Threshold limit algae 1	0,022 mg/l (72 h; Scenedesmus subspicatus)
1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)	
LC50 fish 1	2,18 mg/l
EC50 Daphnia 1	2,94 mg/l
EC50 other aquatic organisms 1	2,94 mg/l waterflea

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)	
EC50 other aquatic organisms 2	0,11 mg/l
ErC50 (algae)	150 µg/l
Ethanol (64-17-5)	
LC50 fish 1	14200 mg/l
EC50 Daphnia 1	12340 mg/l (Daphnia Magna, 48h)
EC50 other aquatic organisms 1	5012 mg/l waterflea
EC50 other aquatic organisms 2	275 mg/l
EC50 72h - Algae [1]	275 mg/l
12.2. Persistence and degradability	
3-iodo-2-propynyl butylcarbamate (55406-53-6)	
Chemical oxygen demand (COD)	1,15 g O ₂ /g substance
Ethanol (64-17-5)	
Biochemical oxygen demand (BOD)	0,8 – 0,967 g O ₂ /g substance
Chemical oxygen demand (COD)	1,7 g O ₂ /g substance
ThOD	2,1 g O ₂ /g substance
BOD (% of ThOD)	0,43
12.3. Bioaccumulative potential	
2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)	
BCF fish 1	5,75 – 48,1
Log Pow	-0,486
3-iodo-2-propynyl butylcarbamate (55406-53-6)	
BCF fish 1	3,3 – 4,5
Log Pow	2,81
1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)	
BCF fish 1	6,62
Log Pow	0,7
Ethanol (64-17-5)	
BCF fish 1	1
Log Pow	-0,32
12.4. Mobility in soil	
2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)	
Surface tension	68,8 mN/m
Log Koc	1,06
Ecology - soil	mobile in soils.

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3-iodo-2-propynyl butylcarbamate (55406-53-6)	
Surface tension	69,1 mN/m
Log Koc	2,1
1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)	
Surface tension	72,6 mN/m
Log Koc	0,97
Ecology - soil	mobile in soils.
Ethanol (64-17-5)	
Surface tension	22,31 mN/m
Log Koc	0,2
Ecology - soil	mobile in soils.

12.5. Results of PBT and vPvB assessment

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 16 10 02 - aqueous liquid wastes other than those mentioned in 16 10 01

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. : Not applicable

UN-No. (IMDG) : Not applicable

UN-No. (ICAO) : Not applicable

UN-No. (ADN) : Not applicable

UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

France

Occupational diseases

Code	Description
RG 65	Eczematiform lesions of allergic mechanism
RG 66	Occupational rhinitis and asthma
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, significant hazard to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-list of carcinogenic substances : Ethanol is listed

SZW-list of mutagenic substances : None of the components are listed

NON-exhaustive list of reprotoxic substances - : Ethanol is listed

Breastfeeding

SZW-lijst van reprotoxische stoffen – : Ethanol is listed

Vruchtbaarheid

NON-exhaustive list of reprotoxic substances - : Ethanol is listed

Development

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No additional information available

Rubio Monocoat Precolor Easy (for color: Alpaca White / Antique Bronze/ Mansoon Grey / Mint White / Nordic White / Pebble Grey / Urban Grey / Vanilla Cream)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH208	Contains 2-methyl-2H-isothiazol-3-one (MIT), 3-iodo-2-propynyl butylcarbamate, 1,2-benzisothiazol-3(2H)-one (BIT). May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.