

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat  
Ambachtenstraat 58  
B- 8870 Izegem  
Belgium  
T +32 (0) 51 30 80 54 - F +32 (0) 51 30 99 78  
[info@rubiomonocoat.com](mailto:info@rubiomonocoat.com) - [www.rubiomonocoat.com](http://www.rubiomonocoat.com)

### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1 H304

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	GHS08
CLP Signal word	: Danger
Contains	: Alkanes (C11-13)
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways.
Precautionary statements (CLP)	: P102 - Keep out of reach of children. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P331 - Do NOT induce vomiting. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. EUH208 - Contains cobalt bis (2-ethylhexanoate). May produce an allergic reaction.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII  
Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Alkanes (C11-13)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
calcium-2-ethylhexanoaat (136-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
cobalt bis (2-ethylhexanoate) (136-52-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
<Missing translation> (108-05-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkanes (C11-13)	EC-No.: 920-901-0 REACH-no: 01-2119456810-40	$\geq 45$	Asp. Tox. 1, H304
calcium-2-ethylhexanoaat	CAS-No.: 136-51-6 EC-No.: 205-249-0	0,2 – 0,3	Repr. 2, H361d Eye Dam. 1, H318

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
cobalt bis (2-ethylhexanoate)	CAS-No.: 136-52-7 EC-No.: 205-250-6 REACH-no: 01-2119524678-29	0,03 – 0,05	Eye Irrit. 2, H319 Skin Sens. 1A, H317 Repr. 1A, H360F Aquatic Acute 1, H400 Aquatic Chronic 3, H412
substance with a Community workplace exposure limit	CAS-No.: 108-05-4 EC-No.: 203-545-4 EC Index-No.: 607-023-00-0 REACH-no: 01-2119471301-50	≤ 0,0022	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Carc. 2, H351 STOT SE 3, H335 Aquatic Chronic 3, H412

### Comments

: Contains titanium dioxide particles with aerodynamic diameter ≤ 10 µm (≥ 1%)  
Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation persists, take medical advice.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Irritation persists.
First-aid measures after ingestion	: Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: If you feel unwell, seek medical advice.
Symptoms/effects after inhalation	: Inhalation may cause: irritation, cough, short breathing. May cause headache and dizziness. May cause drowsiness or dizziness. Obtain medical attention if breathing difficulty persists.
Symptoms/effects after skin contact	: Remove all contaminated clothing and footwear. IF ON SKIN: Wash with plenty of soap and water. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Irritating to eyes. Rinse immediately with plenty of water for 15 minutes. Consult a doctor.
Symptoms/effects after ingestion	: Swallowing of this material presents health hazard. Seek a medical assistance, even if there are no immediate symptoms. May cause lung damage if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: hazy water, carbon dioxide (CO <sub>2</sub> ), foam and powder.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Heating may cause a fire or explosion. This product is flammable.
-------------	---

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.  
Firefighting instructions : Eliminate all ignition sources if safe to do so. Fight fire remotely due to the risk of explosion. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing. Do not attempt to take action without suitable protective equipment.  
Other information : Use water spray or fog for cooling exposed containers.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. No naked flames, sparks, and do not smoke.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not get in eyes, on skin, or on clothing. Notify police and fire brigade as soon as possible.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Collect spillage.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Eliminate all ignition sources if safe to do so. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharge.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Use only non-sparking tools. Take precautionary measures against static discharge.  
Storage conditions : Keep cool. Store in a well-ventilated place. Keep container tightly closed.  
Storage area : Store away from direct sunlight or other heat sources.

### 7.3. Specific end use(s)

No additional information available

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

(108-05-4)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOELV TWA (mg/m³)	17,6 mg/m³
IOELV TWA (ppm)	5 ppm
IOELV STEL (mg/m³)	35,2 mg/m³
IOELV STEL (ppm)	10 ppm
Belgium - Occupational Exposure Limits	
Limit value [mg/m³]	17,6 mg/m³
Limit value [ppm]	5 ppm
Short time value [mg/m³]	35,2 mg/m³
Short time value [ppm]	10 ppm
France - Occupational Exposure Limits	
VME [mg/m³]	17,6 mg/m³
VME [ppm]	5 ppm
VLE [mg/m³]	35,2 mg/m³
VLE [ppm]	10 ppm
Netherlands - Occupational Exposure Limits	
Grenswaarde TGG 8H (mg/m³)	18 mg/m³
Grenswaarde TGG 8H (ppm)	5,03 ppm
Grenswaarde TGG 15MIN (mg/m³)	36 mg/m³
Grenswaarde TGG 15MIN (ppm)	10,06 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	17,6 mg/m³
WEL TWA (ppm)	5 ppm
WEL STEL (mg/m³)	35,2 mg/m³
WEL STEL (OEL STEL) [ppm]	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (ppm)	10 ppm
ACGIH STEL (ppm)	15 ppm
cobalt bis (2-ethylhexanoate) (136-52-7)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	0,1 mg/m³

##### 8.1.2. Recommended monitoring procedures

No additional information available

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Protective goggles. Protective clothing. Gloves.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Nitrile-rubber protective gloves

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 61 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: < 20,5 mm²/s
Solubility	: Not available
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: > 0,9 kg/l
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Heating may cause a fire or explosion. Highly flammable liquid and vapour.

### 10.2. Chemical stability

Combustible liquid.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

All heat sources, including direct sunlight. No flames, no sparks. Eliminate all sources of ignition. Avoid shock and friction.

### 10.5. Incompatible materials

bases. Acids. oxidizing agents.

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (inhalation) : Not classified

### (108-05-4)

LD50 oral rat	3470 mg/kg bodyweight
LD50 dermal rabbit	7440 mg/kg bodyweight
LC50 Inhalation - Rat	15,81 mg/l

### Alkanes (C11-13)

LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight
LC50 Inhalation - Rat	> 5000 mg/m³ air

### calcium-2-ethylhexanoaat (136-51-6)

LD50 oral rat	2043 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight

### cobalt bis (2-ethylhexanoate) (136-52-7)

LD50 oral rat	3129 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

### (108-05-4)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

### Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

Viscosity, kinematic	< 20,5 mm²/s
----------------------	--------------

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### (108-05-4)

EC50 Daphnia 1	12,6 mg/l
----------------	-----------



# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>(108-05-4)</b>	
ErC50 (algae)	12,7 mg/l
<b>calcium-2-ethylhexanoaat (136-51-6)</b>	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	910 mg/l
ErC50 (algae)	49,3 mg/l
<b>cobalt bis (2-ethylhexanoate) (136-52-7)</b>	
LC50 fish 1	1,512 mg/l
LC50 fish 2	54,1 mg/l
EC50 other aquatic organisms 1	1703 mg/kg dwt
ErC50 (algae)	144 µg/l
<b>12.2. Persistence and degradability</b>	
<b>(108-05-4)</b>	
ThOD	1,7 g O <sub>2</sub> /g substance
<b>12.3. Bioaccumulative potential</b>	
<b>(108-05-4)</b>	
BCF fish 1	3,16 l/kg
Log Pow	0,73
<b>Alkanes (C11-13)</b>	
BCF fish 1	144,3 l/kg
<b>calcium-2-ethylhexanoaat (136-51-6)</b>	
Log Pow	2,96
<b>cobalt bis (2-ethylhexanoate) (136-52-7)</b>	
BCF fish 1	1,2
<b>12.4. Mobility in soil</b>	
<b>(108-05-4)</b>	
Ecology - soil	Very mobile in the soil.
<b>Alkanes (C11-13)</b>	
Log Koc	4,16
<b>cobalt bis (2-ethylhexanoate) (136-52-7)</b>	
Surface tension	64 mN/m

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

#### Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Additional information : Flammable vapours may accumulate in the container. Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 14 06 03\* - other solvents and solvent mixtures

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. : Not applicable

UN-No. (IMDG) : Not applicable

UN-No. (ICAO) : Not applicable

UN-No. (ADN) : Not applicable

UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable

Proper Shipping Name (IMDG) : Not applicable

Proper Shipping Name (IATA) : Not applicable

Proper Shipping Name (ADN) : Not applicable

Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

**ADR**

Transport hazard class(es) (ADR) : Not applicable

**IMDG**

Transport hazard class(es) (IMDG) : Not applicable

**IATA**

Transport hazard class(es) (IATA) : Not applicable

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### ADN

Transport hazard class(es) (ADN) : Not applicable

### RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

#### 14.6. Special precautions for user

##### Overland transport

Not applicable

##### Transport by sea

Not applicable

##### Air transport

Not applicable

##### Inland waterway transport

Not applicable

##### Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-list of carcinogenic substances : None of the components are listed  
SZW-list of mutagenic substances : None of the components are listed  
NON-exhaustive list of reprotoxic substances - Breastfeeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed  
NON-exhaustive list of reprotoxic substances - Development : None of the components are listed

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
EUH208	Contains cobalt bis (2-ethylhexanoate). May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H360F	May damage fertility.

# Rubio Monocoat Oil Extra E-A ( for color: Ash Grey / Bourbon / Cotton White / Ice Brown / Natural / Super White / Sky Grey / White 10 )

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Repr. 1A	Reproductive toxicity, Category 1A
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.