

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio EasyPrimer Epoxy - Set

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B- 8870 Izegem
Belgium
T +32 (0) 51 30 80 54 - F +32 (0) 51 30 99 78
info@rubiomonocoat.com - www.rubiomonocoat.com

1.4. Emergency telephone number

| Country | Official advisory body | Address | Emergency number | Comment |
|----------------|-------------------------------------------------------------------------------------|--------------------------------------|------------------|-----------------------------------|
| Australia | NSW Poisons Information Centre The Children's Hospital at Westmead | Locked Bag 4001 NSW 2145 Westmead | 13 11 26 | |
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA Belfast | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

CLP Signal word

: Warning

Contains

: 1,2-benzisothiazol-3(2H)-one (BIT)

Hazard statements (CLP)

: H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P102 - Keep out of reach of children.

P261 - Avoid breathing vapours.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

| Component | |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------------------------------|-----------------------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | CAS-No.: 1675-54-3 EC-No.: 216-823-5 EC Index-No.: 603-073-00-2 | > 45 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| 2-methyl-2H-isothiazol-3-one (MIT) | CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50 | 0,000930204 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 |

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: | | |
|------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Name | Product identifier | Specific concentration limits |
| | CAS-No.: 1675-54-3 EC-No.: 216-823-5 EC Index-No.: 603-073-00-2 | (5 ≤C < 100) Eye Irrit. 2, H319 (5 ≤C < 100) Skin Irrit. 2, H315 |
| 2-methyl-2H-isothiazol-3-one (MIT) | CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50 | (0,0015 ≤C < 100) Skin Sens. 1A, H317 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general | : If medical advice is needed, have product container or label at hand. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Remove soiled clothing promptly. IF ON SKIN: Wash with plenty of soap and water. |
| First-aid measures after eye contact | : Get immediate medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| First-aid measures after ingestion | : In all cases of doubt, or when symptoms persist, seek medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--------------------------------------------------------------------------|
| Symptoms/effects | : If you feel unwell, seek medical advice. |
| Symptoms/effects after skin contact | : Causes severe burns. |
| Symptoms/effects after eye contact | : Risk of serious damage to eyes. |
| Symptoms/effects after ingestion | : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|-------------------------------------------------------------------|
| Suitable extinguishing media | : hazy water, carbon dioxide (CO ₂), foam and powder. |
|------------------------------|-------------------------------------------------------------------|

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

| | |
|--------------------------------|---------------------------------------------------------------------|
| Precautionary measures fire | : Evacuate area. |
| Firefighting instructions | : Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Self-contained breathing apparatus. Complete protective clothing. |
| Other information | : Exercise caution when fighting any chemical fire. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|----------------------------------------------------------------------------------------------------|
| Emergency procedures | : Do not get in eyes, on skin, or on clothing. Notify police and fire brigade as soon as possible. |
|----------------------|----------------------------------------------------------------------------------------------------|

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Self-contained breathing apparatus. Safety glasses. Protective gloves. Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Notify authorities if product enters sewers or public waters. Collect spillage.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. In case of inadequate ventilation wear respiratory protection.

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Hand protection:

Gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|----------------------------------|-------------------|
| Physical state | : Liquid |
| Colour | : Not available |
| Appearance | : Liquid. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not available |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : > 90 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Log Kow | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : 1 kg/l |
| Relative density | : Not available |
| Relative vapour density at 20 °C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction. Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

bases. Acids. oxidizing agents.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)

| | |
|-----------------------|----------------------|
| LD50 oral rat | 120 mg/kg bodyweight |
| LD50 dermal rat | 242 mg/kg bodyweight |
| LC50 Inhalation - Rat | 0,11 mg/l |

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Ecological problems are not known or expected under normal use.

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)

| | |
|---------------|-----------|
| ErC50 (algae) | 0,23 mg/l |
|---------------|-----------|

12.2. Persistence and degradability

(1675-54-3)

| | |
|-------------------------------|-----------------------------------------------|
| Persistence and degradability | Biodegradability in water: no data available. |
|-------------------------------|-----------------------------------------------|

12.3. Bioaccumulative potential

2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)

| | |
|------------|-------------|
| BCF fish 1 | 5,75 – 48,1 |
|------------|-------------|

| | |
|---------|--------|
| Log Pow | -0,486 |
|---------|--------|

12.4. Mobility in soil

2-methyl-2H-isothiazol-3-one (MIT) (2682-20-4)

| | |
|-----------------|-----------|
| Surface tension | 68,8 mN/m |
|-----------------|-----------|

| | |
|---------|------|
| Log Koc | 1,06 |
|---------|------|

| | |
|----------------|------------------|
| Ecology - soil | mobile in soils. |
|----------------|------------------|

12.5. Results of PBT and vPvB assessment

Rubio EasyPrimer Epoxy - Set

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.1. UN number or ID number

| | |
|---------------|-----------|
| UN-No. | : UN 3082 |
| UN-No. (IMDG) | : UN 3082 |
| UN-No. (ICAO) | : UN 3082 |
| UN-No. (ADN) | : UN 3082 |
| UN-No. (RID) | : UN 3082 |


14.2. UN proper shipping name

| | |
|---------------------------------------|-----------------------------------------------------------------------------------------|
| Proper Shipping Name (ADR) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Proper Shipping Name (IMDG) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Proper Shipping Name (IATA) | : Environmentally hazardous substance, liquid, n.o.s. |
| Proper Shipping Name (ADN) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Proper Shipping Name (RID) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Transport document description (ADR) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, (E) |
| Transport document description (IMDG) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT |
| Transport document description (IATA) | : UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III |
| Transport document description (ADN) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III |
| Transport document description (RID) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III |

14.3. Transport hazard class(es)


ADR

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 9 |
| Danger labels (UN) | : 9 |




IMDG

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 9 |
| Danger labels (IMDG) | : 9 |




IATA

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 9 |
| Danger labels (ICAO) | : 9 |



ADN

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADN) | : 9 |
| Danger labels (ADN) | : 9 |




RID

| | |
|----------------------------------|-----|
| Transport hazard class(es) (RID) | : 9 |
| Danger labels (RID) | : 9 |

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.4. Packing group


| | |
|----------------------|-------|
| Packing group (ADR) | : III |
| Packing group (IMDG) | : III |
| Packing group (IATA) | : III |
| Packing group (ADN) | : III |
| Packing group (RID) | : III |

14.5. Environmental hazards

| | |
|-------------------------------|------------------------------------------|
| Dangerous for the environment | : Yes |
| Marine pollutant | : Yes |
| Other information | : No supplementary information available |

14.6. Special precautions for user

Overland transport

| | |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Classification code (ADR) | : M6 |
| Special provisions (ADR) | : 274, 335, 601 |
| Limited quantities (ADR) | : 5I |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Special packing provisions (ADR) | : PP1 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T4 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29 |
| Tank code (ADR) | : LGBV |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13 |
| Hazard identification number (Kemler No.) | : 90 |
| Orange plates | :  |
| Tunnel restriction code (ADR) | : E |
| EAC code | : •3Z |

Transport by sea

| | |
|-----------------------------------|--------------|
| Special provisions (IMDG) | : 274, 335 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| Special packing provisions (IMDG) | : PP1 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP2, TP29 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-F |
| Stowage category (IMDG) | : A |

Air transport

| | |
|----------------------------------------------|---------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y964 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---------------------------------|-------------|
| PCA packing instructions (IATA) | : 964 |
| PCA max net quantity (IATA) | : 450L |
| CAO packing instructions (IATA) | : 964 |
| CAO max net quantity (IATA) | : 450L |
| Special provisions (IATA) | : A97, A158 |
| ERG code (IATA) | : 9L |

Inland waterway transport

| | |
|-----------------------------------|----------------|
| Classification code (ADN) | : M6 |
| Special provisions (ADN) | : 274, 335, 61 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP |
| Number of blue cones/lights (ADN) | : 0 |

Rail transport

| | |
|-------------------------------------------------------------------------|---------------------------|
| Classification code (RID) | : M6 |
| Special provisions (RID) | : 274, 335, 601 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Special packing provisions (RID) | : PP1 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP29 |
| Tank codes for RID tanks (RID) | : LGBV |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW31 |
| Colis express (express parcels) (RID) | : CE8 |
| Hazard identification number (RID) | : 90 |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

| | |
|--------------------------------------------|----------------------------------------------------------------------------------|
| Water hazard class (WGK) | : WGK 2, significant hazard to water (Classification according to AwSV, Annex 1) |
| Hazardous Incident Ordinance (12. BImSchV) | : Is not subject of the Hazardous Incident Ordinance (12. BImSchV) |

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Netherlands

| | |
|--------------------------------------------------------------|-------------------------------------|
| SZW-list of carcinogenic substances | : None of the components are listed |
| SZW-list of mutagenic substances | : None of the components are listed |
| NON-exhaustive list of reprotoxic substances - Breastfeeding | : None of the components are listed |
| SZW-lijst van reprotoxische stoffen – Vruchtbaarheid | : None of the components are listed |
| NON-exhaustive list of reprotoxic substances - Development | : None of the components are listed |

Denmark

| | |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Classification remarks | : Emergency management guidelines for the storage of flammable liquids must be followed |
| Danish National Regulations | : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product |

Switzerland

| | |
|--------------------|----------------------|
| Storage class (LK) | : LK 10/12 - Liquids |
|--------------------|----------------------|

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|---------------------------|-------------------------------------------------------------------|
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1A | Skin sensitisation, category 1A |

Safety Data Sheet (SDS), EU

Rubio EasyPrimer Epoxy - Set

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.