

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Varnish 2C - comp. B

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B- 8870 Izegem
Belgium
T +32 (0) 51 30 80 54 - F +32 (0) 51 30 99 78
info@rubiomonocoat.com - www.rubiomonocoat.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhal.), Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Rubio Varnish 2C - comp. B


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

EUH-statements

- : Danger
- : Hexamethylene diisocyanate oligomers, Polyoxyethylene tridecyl ether phosphate, ethyldiisopropylamine, Phosphoric acid, butyl ester, 1,6-diisocyanatohexane
- : H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H332 - Harmful if inhaled.
H335 - May cause respiratory irritation.
H412 - Harmful to aquatic life with long lasting effects.
- : P102 - Keep out of reach of children.
P261 - Avoid breathing vapours, gas, mist, fume, spray, dust.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
- : EUH204 - Contains isocyanates. May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Hexamethylene diisocyanate oligomers (28182-81-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propylene carbonate (108-32-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
ethyldiisopropylamine (7087-68-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Phosphoric acid, butyl ester (12788-93-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,6-diisocyanatohexane (822-06-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexamethylene diisocyanate oligomers	CAS-No.: 28182-81-2 EC-No.: 931-274-8 REACH-no: 01-2119485796-17	< 65	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Sens. 1, H317 STOT SE 3, H335
Propylene carbonate	CAS-No.: 108-32-7 EC-No.: 203-572-1 EC Index-No.: 607-194-00-1 REACH-no: 01-2119537232-48	30	Eye Irrit. 2, H319
Polyoxyethylene tridecyl ether phosphate	CAS-No.: 9046-01-9	< 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
ethyldiisopropylamine	CAS-No.: 7087-68-5 EC-No.: 230-392-0	< 2,5	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Eye Dam. 1, H318 STOT SE 3, H335
Phosphoric acid, butyl ester	CAS-No.: 12788-93-1 EC-No.: 235-826-2 REACH-no: 01-2119970716-27	< 2	Skin Corr. 1, H314
1,6-diisocyanatohexane	CAS-No.: 822-06-0 EC-No.: 212-485-8 EC Index-No.: 615-011-00-1 REACH-no: 01-2119457571-37	< 0,5	Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. irritation persists.
First-aid measures after ingestion	: Give nothing to drink. Do NOT induce vomiting. (Irritation of the stomach possible.) Ask for medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Repeated exposure may cause sensitization due to an allergic reaction of the skin.
Symptoms/effects after eye contact	: Risk of serious damage to eyes.
Symptoms/effects after ingestion	: May cause lung damage if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : On heating/burning: release of harmful gases/vapours. Combustible liquid.

5.3. Advice for firefighters

- Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.
Other information : Avoid contact of substance with water. Use water moderately and if possible collect or contain it. Exercise caution when fighting any chemical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Nitrile-rubber protective gloves.
Emergency procedures : Do not get in eyes, on skin, or on clothing. Ventilate spillage area.

6.1.2. For emergency responders

- Protective equipment : Self-contained breathing apparatus. Use personal protective equipment as required. Protective gloves. Safety glasses.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not allow water (or moist air) contact with this material. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Use personal protective equipment as required.
Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : The floor of the depot should be impermeable and designed to form a water-tight basin.

7.3. Specific end use(s)

No additional information available

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

In case of risky circumstances: safety glasses or face shield

8.2.2.2. Skin protection

Skin and body protection:

Use personal protective equipment as required. Protective clothing

Hand protection:

Nitrile-rubber protective gloves

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

Other information:

Do not eat, drink or smoke when using this product.

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: < 0 °C
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 106 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: ≈ 1,1 kg/l
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Avoid contact of substance with water. Reacts violently with water.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with water.

10.4. Conditions to avoid

Direct sunlight.

10.5. Incompatible materials

alcohols. amines. bases.

10.6. Hazardous decomposition products

carbon oxides (CO and CO₂). nitrogen oxides (NO_x).

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

Rubio Varnish 2C - comp. B	
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1,5 mg/l/4h

Propylene carbonate (108-32-7)	
LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

Hexamethylene diisocyanate oligomers (28182-81-2)	
LD50 oral rat	> 2500 mg/kg OECD 423 (female)
LD50 dermal rat	> 2000 mg/kg OECD 402
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0,39 mg/l/4h OECD 403 (female)

ethyl-diisopropylamine (7087-68-5)	
LD50 oral rat	200 – 500 mg/kg bodyweight
LC50 Inhalation - Rat	2,63 mg/l

Phosphoric acid, butyl ester (12788-93-1)	
LD50 oral rat	5300 mg/kg bodyweight

1,6-diisocyanatohexane (822-06-0)	
LD50 oral rat	959 mg/kg bodyweight OECD 401
LD50 dermal rat	> 7000 mg/kg bodyweight
LD50 dermal rabbit	> 7000 mg/kg bodyweight OECD 402
LC50 Inhalation - Rat	0,124 mg/l/4h OECD 403

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : May cause respiratory irritation.

Hexamethylene diisocyanate oligomers (28182-81-2)	
STOT-single exposure	May cause respiratory irritation.

ethyl-diisopropylamine (7087-68-5)	
STOT-single exposure	May cause respiratory irritation.

1,6-diisocyanatohexane (822-06-0)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,6-diisocyanatohexane (822-06-0)

NOAEC (inhalation, rat, gas, 90 days)	0,005 ppmv/6h/day
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product does not have any adverse effects on the aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Propylene carbonate (108-32-7)

LC50 fish 1	> 1000 mg/l
EC50 Daphnia 1	> 1000 mg/l
EC50 72h - Algae [1]	> 900 mg/l

Hexamethylene diisocyanate oligomers (28182-81-2)

LC50 fish 1	8,9 mg/l Brachydanio rerio
EC50 Daphnia 1	127 mg/l Daphnia magna (48h static / EU C.2)
EC50 other aquatic organisms 1	3828 mg/l Activated sludge, 3h, OECD 209 method
EC50 other aquatic organisms 2	> 1000 mg/l Scenedesmus subspicatus, 72h, DIN 38412
ErC50 (algae)	> 1000 mg/l Desmodesmus subspicatus (72h)

ethyl-diisopropylamine (7087-68-5)

LC50 fish 1	69,7 mg/l
EC50 Daphnia 1	28,1 mg/l
ErC50 (algae)	150 mg/l

Phosphoric acid, butyl ester (12788-93-1)

LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 100 mg/l

1,6-diisocyanatohexane (822-06-0)

EC50 other aquatic organisms 1	842 mg/l Bakterie (3h)
EC50 72h - Algae [1]	> 77,4 mg/l
ErC50 (algae)	> 77,4 mg/l Desmodesmus subspicatus (72h)
NOEC chronic algae	11,7 mg/l Desmodesmus subspicatus (72h)

12.2. Persistence and degradability

Propylene carbonate (108-32-7)

Biochemical oxygen demand (BOD)	0,046 g O ₂ /g substance
Chemical oxygen demand (COD)	1,29 g O ₂ /g substance

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hexamethylene diisocyanate oligomers (28182-81-2)

Biodegradation	1 % (28 days)
----------------	---------------

1,6-diisocyanatohexane (822-06-0)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

Biodegradation	42 % (28 days)
----------------	----------------

12.3. Bioaccumulative potential

Propylene carbonate (108-32-7)

Log Pow	-0,48 – -0,41
---------	---------------

Hexamethylene diisocyanate oligomers (28182-81-2)

BCF fish 1	3,2 mg/l
------------	----------

ethyl-diisopropylamine (7087-68-5)

Log Pow	-18
---------	-----

Phosphoric acid, butyl ester (12788-93-1)

Log Pow	-0,5
---------	------

1,6-diisocyanatohexane (822-06-0)

BCF fish 1	58 mg/l
------------	---------

Log Pow	1,08 (QSAR)
---------	-------------

Bioaccumulative potential	Slightly bioaccumulative.
---------------------------	---------------------------

12.4. Mobility in soil

Propylene carbonate (108-32-7)

Log Koc	0,81
---------	------

Ecology - soil	Very mobile in the soil.
----------------	--------------------------

Hexamethylene diisocyanate oligomers (28182-81-2)

Log Koc	7,8
---------	-----

ethyl-diisopropylamine (7087-68-5)

Log Koc	3,37
---------	------

Phosphoric acid, butyl ester (12788-93-1)

Surface tension	51 mN/m
-----------------	---------

1,6-diisocyanatohexane (822-06-0)

Log Koc	5861
---------	------

12.5. Results of PBT and vPvB assessment

Rubio Varnish 2C - comp. B

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

European List of Waste (LoW) code : 08 05 01* - waste isocyanates

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No.	: Not regulated
UN-No. (IMDG)	: Not regulated
UN-No. (ICAO)	: Not regulated
UN-No. (ADN)	: Not regulated
UN-No. (RID)	: Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not regulated

IMDG
Transport hazard class(es) (IMDG) : Not regulated

IATA
Transport hazard class(es) (IATA) : Not regulated

ADN
Transport hazard class(es) (ADN) : Not regulated

RID
Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR)	: Not regulated
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(a)	ethyldiisopropylamine
3(b)	Rubio Varnish 2C - comp. B ; Hexamethylene diisocyanate oligomers ; Phosphoric acid, butyl ester ; ethyldiisopropylamine ; Propylene carbonate ; Polyoxyethylene tridecyl ether phosphate
3(c)	Rubio Varnish 2C - comp. B ; Polyoxyethylene tridecyl ether phosphate
40.	ethyldiisopropylamine

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 0 g/l

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-list of carcinogenic substances : None of the components are listed

SZW-list of mutagenic substances : None of the components are listed

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Breastfeeding

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NON-exhaustive list of reprotoxic substances - : None of the components are listed
Development

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Persons suffering from asthma or eczema and persons who have chronic lung diseases,
skin or respiratory allergies to isocyanates should not work with the material
The requirements from the Danish Working Environment Authorities regarding work with
epoxy resins and isocyanates must be observed during use and disposal

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH204	Contains isocyanates. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

Rubio Varnish 2C - comp. B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
-----------	--

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.