

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Monocoat Tannin Primer
UFI : OCT4-0172-C00R-V11E

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B 8870 Izegem
Belgium
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78
info@rubiomonocoat.com, www.rubiomonocoat.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

CLP Signal word

: Danger

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)	: P102 - Keep out of reach of children. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
--------------------------------	---

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Oxalic acid dihydrate (6153-56-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Oxalic acid dihydrate substance with national workplace exposure limit(s) (BE, FR, GB, NL); substance with a Community workplace exposure limit	CAS-No.: 6153-56-6 EC-No.: 205-634-3 EC Index-No.: 607-006-00-8 REACH-no: 01-2119534576-33	2,91	Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 4 (Oral), H302 (ATE=475 mg/kg bodyweight) Eye Dam. 1, H318
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) substance with national workplace exposure limit(s) (CH)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48	0,00000010877	Acute Tox. 2 (Inhalation), H330 (ATE=0,05 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=66 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:

Name	Product identifier	Specific concentration limits
mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48	(0,0015 ≤ C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤ C < 0,6) Eye Irrit. 2, H319 (0,06 ≤ C < 0,6) Skin Irrit. 2, H315 (0,6 ≤ C ≤ 100) Eye Dam. 1, H318 (0,6 ≤ C ≤ 100) Skin Corr. 1C, H314

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: If on skin : Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. irritation persists.
First-aid measures after ingestion	: In all cases of doubt, or when symptoms persist, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: If you feel unwell, seek medical advice.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Risk of serious damage to eyes.
Symptoms/effects after ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water mist, carbonic acid, foam or powder against ambient fire.
------------------------------	---

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Prevent fire fighting water from entering the environment.
Protection during firefighting	: Self-contained breathing apparatus. Complete protective clothing.
Other information	: Exercise caution when fighting any chemical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8. Limit spread.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Safety glasses. Protective gloves. Do not attempt to take action without suitable protective equipment.
----------------------	---

6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13.
Other information	: Dispose of materials or solid residues at an authorized site.

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)

Switzerland - Occupational Exposure Limits

Local name	5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on
VME [mg/m³]	0,2 mg/m³
VLE [mg/m³]	0,4 mg/m³
Notation	Keine Schädigung der Leibesfrucht bei Einhaltung des MAK-Werts

Oxalic acid dihydrate (6153-56-6)

EU - Indicative Occupational Exposure Limit (IOEL)

IOELV TWA (mg/m³)	1 mg/m³
-------------------	---------

Belgium - Occupational Exposure Limits

Local name	Acide oxalique (anhydre) # Oxaalzuur (anhydraat)
Limit value [mg/m³]	1 mg/m³ 1 mg/m³
Short time value [mg/m³]	2 mg/m³ 2 mg/m³
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021

France - Occupational Exposure Limits

VME [mg/m³]	1 mg/m³
-------------	---------

Netherlands - Occupational Exposure Limits

Grenswaarde TGG 8H (mg/m³)	1 mg/m³
Grenswaarde TGG 8H (ppm)	0,27 ppm
Grenswaarde TGG 15MIN (mg/m³)	0 mg/m³

United Kingdom - Occupational Exposure Limits

Local name	Oxalic acid
WEL TWA (mg/m³)	1 mg/m³

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Oxalic acid dihydrate (6153-56-6)	
WEL STEL (mg/m³)	2 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
USA - ACGIH - Occupational Exposure Limits	
Local name	Oxalic acid, anhydrous
ACGIH TWA (mg/m³)	1 mg/m³
ACGIH STEL (mg/m³)	2 mg/m³
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2023

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	0,04 mg/m³
Long-term - local effects, inhalation	0,02 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, oral	0,11 mg/kg bw/day
Acute - local effects, inhalation	0,04 mg/m³
Long-term - systemic effects,oral	0,09 mg/kg bw/day
Long-term - local effects, inhalation	0,02 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	3,39 µg/l
PNEC aqua (marine water)	3,39 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,027 mg/kg dwt
PNEC sediment (marine water)	0,027 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,01 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	0,23 mg/l
Oxalic acid dihydrate (6153-56-6)	
DNEL/DMEL (Workers)	
Acute - local effects, dermal	0,69 mg/cm²
Long-term - systemic effects, dermal	2,29 mg/kg bw/day
Long-term - systemic effects, inhalation	4,03 mg/m³

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Oxalic acid dihydrate (6153-56-6)

DNEL/DMEL (General population)

Acute - local effects, dermal	0,35 mg/cm²
Long-term - systemic effects, oral	1,14 mg/kg bw/day
Long-term - systemic effects, dermal	1,14 mg/kg bw/day

PNEC (Water)

PNEC aqua (freshwater)	0,1622 mg/l
PNEC aqua (marine water)	0,01622 mg/l
PNEC aqua (intermittent, freshwater)	1,622 mg/l

PNEC (STP)

PNEC sewage treatment plant	1550 mg/l
-----------------------------	-----------

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Hand protection:

Gloves

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour	: Opaque.
Appearance	: Liquid.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: $\approx 0\text{ }^{\circ}\text{C}$
Freezing point	: $\approx 0\text{ }^{\circ}\text{C}$
Boiling point	: $\approx 100\text{ }^{\circ}\text{C}$
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: $\approx 0,88$
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1,01 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Avoid oxidizing agents as well as strong acids and bases. Stable in use and storage conditions as recommended in item 7.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

bases. Acids. oxidizing agents.

10.6. Hazardous decomposition products

Fire may liberate carbon oxides (CO) and smoke.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (inhalation) : Not classified

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)

LD50 oral rat	66 mg/kg bodyweight
LD50 oral	59 mg/kg bodyweight
LD50 dermal rat	> 141 mg/kg bodyweight
LD50 dermal	> 75 mg/kg bodyweight
LC50 Inhalation - Rat	0,17 mg/l air

Oxalic acid dihydrate (6153-56-6)

LD50 oral rat	475 mg/kg bodyweight
LD50 oral	375 mg/kg bodyweight
LD50 dermal rabbit	20000 mg/kg bodyweight
LD50 dermal	20000 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns.
pH: ≈ 0,88

Serious eye damage/irritation : Assumed to cause serious eye damage
pH: ≈ 0,88

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not applicable.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)

LC50 fish 1	0,28 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	0,007 mg/l
EC50 other aquatic organisms 1	0,126 mg/l waterflea
EC50 other aquatic organisms 2	0,003 mg/l
ErC50 (algae)	19,9 µg/l
Threshold limit algae 1	0,018 mg/l (72 h; Pseudokirchneriella subcapitata)

Oxalic acid dihydrate (6153-56-6)

LC50 fish 1	160 mg/l
-------------	----------

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Oxalic acid dihydrate (6153-56-6)

LC50 fish 2	160 mg/l (48 h; Leuciscus idus)
LC50 other aquatic organisms 1	5330 mg/l
EC50 Daphnia 1	162,2 mg/l
EC50 other aquatic organisms 1	162,2 mg/l waterflea
TLM fish 1	4000 mg/l (24 h; Lepomis macrochirus; Watervrije vorm)
Threshold limit other aquatic organisms 1	100 - 1000 (96 h)
Threshold limit algae 1	790 mg/l (168 h; Scenedesmus quadricauda)
Threshold limit algae 2	80 mg/l (192 h; Microcystis aeruginosa)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))

BCF fish 1	41 – 54
Log Pow	-0,32 – 0,7

Oxalic acid dihydrate (6153-56-6)

Log Pow	-1,7
---------	------

12.4. Mobility in soil

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))

Log Koc	0,81 – 1
Ecology - soil	Very mobile in the soils.

Oxalic acid dihydrate (6153-56-6)

Surface tension	70,1 mN/m
-----------------	-----------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations	: Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW, EC 2000/532)	: 16 10 01* - aqueous liquid wastes containing dangerous substances

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

H code : Auto detect - Auto detect

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 0 g/l

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(4) - low hazard for aquatic organisms
SZW-list of carcinogenic substances : None of the components are listed
SZW-list of mutagenic substances : None of the components are listed
NON-exhaustive list of reprotoxic substances - Breastfeeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
NON-exhaustive list of reprotoxic substances - Development : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Rubio Monocoat Tannin Primer

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.