

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Rubio Monocoat FR Oil 2C - comp. A  
UFI : FRJ0-313G-U002-TPQH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat  
Ambachtenstraat 58  
B 8870 Izegem  
Belgium  
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78  
[info@rubiomonocoat.com](mailto:info@rubiomonocoat.com), [www.rubiomonocoat.com](http://www.rubiomonocoat.com)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carcinogenicity, Category 2 H351  
Reproductive toxicity, Category 2 H361  
Specific target organ toxicity – Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	GHS08
CLP Signal word	: Warning
Contains	: melamine GPH
Hazard statements (CLP)	: H351 - Suspected of causing cancer. H361 - Suspected of damaging fertility or the unborn child. H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary statements (CLP)	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P314 - Get medical advice/attention if you feel unwell. P405 - Store locked up. P501 - Dispose of contents/container in accordance with local regulations.
EUH-statements	: EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3. Other hazards

Other hazards not contributing to the classification	: IMPORTANT: Fire Risk, this product contains linseed oil! Cloths, rags or any other combustible, absorbent material used to apply the product or to clean up a spill, may spontaneously combust. These materials should be abundantly rinsed with water prior to their disposal in a fire-resistant container.
------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
melamine GPH (108-78-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ] (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
N,N-diethylhydroxylamine (3710-84-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
melamine GPH (108-78-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
melamine GPH substance listed on REACH Candidate List substance with national workplace exposure limit(s) (BE, FR, GB)	CAS-No.: 108-78-1 EC-No.: 203-615-4 EC Index-No.: 613-345-00-2	15	Carc. 2, H351 Repr. 2, H361f STOT RE 2, H373
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ] substance with national workplace exposure limit(s) (BE, DK, FR, GB, SE, NO)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379-17	0-20	Carc. 2, H351
N,N-diethylhydroxylamine substance with national workplace exposure limit(s) (BE)	CAS-No.: 3710-84-7 EC-No.: 223-055-4	<0.003	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 (ATE=1300 mg/kg bodyweight) STOT SE 3, H335 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: under the recommended handling conditions: not required.
First-aid measures after skin contact	: If on skin : Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: In all cases of doubt, or when symptoms persist, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: If you feel unwell, seek medical advice.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: None under normal use.
Symptoms/effects after eye contact	: None under normal use.
Symptoms/effects after ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Can't burn. Water mist, carbonic acid, foam or powder against surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Prevent fire fighting water from entering the environment.
Protection during firefighting	: Self-contained breathing apparatus.

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information : Exercise caution when fighting any chemical fire.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8.  
Limit spread.

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

No additional information available

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.  
Storage area : Store in a well-ventilated place.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

melamine GPH (108-78-1)	
Belgium - Occupational Exposure Limits	
Limit value [mg/m³]	3 mg/m³ 10 mg/m³
France - Occupational Exposure Limits	
VME [mg/m³]	7 mg/m³ 3,5 mg/m³ 4 mg/m³ 0,9 mg/m³

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>melamine GPH (108-78-1)</b>	
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (mg/m³)	10 mg/m³ 4 mg/m³
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH TWA (mg/m³)	3 mg/m³
<b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Titane (dioxyde de) # Titaandioxide
Limit value [mg/m³]	10 mg/m³
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Titandioxid, beregnet som Ti
Grænseværdi (8 timer) (mg/m³)	6 mg/m³
Grænseværdi (STEL) (mg/m³)	12 mg/m³
Remark	K
<b>France - Occupational Exposure Limits</b>	
VME [mg/m³]	10 mg/m³
<b>Sweden - Occupational Exposure Limits</b>	
Local name	Titandioxid
Nivågränsvärde (NVG) (mg/m³)	5 mg/m³
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Titanium dioxide
WEL TWA (mg/m³)	10 mg/m³ 4 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Norway - Occupational Exposure Limits</b>	
Local name	Titandioksid
Grenseverdier (AN) (mg/m³)	5 mg/m³
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Titanium dioxide
ACGIH TWA (mg/m³)	0,2 mg/m³ 2,5 mg/m³
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2023
<b>N,N-diethylhydroxylamine (3710-84-7)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
Local name	N,N-Diethylhydroxylamine # N,N-Diethylhydroxylamine
Limit value [mg/m³]	7,3 mg/m³
Limit value [ppm]	2 ppm

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

N,N-diethylhydroxylamine (3710-84-7)	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021
USA - ACGIH - Occupational Exposure Limits	
Local name	N,N-Diethylhydroxylamine
ACGIH TWA (ppm)	2 ppm
Remark (ACGIH)	TLV® Basis: URT irr
Regulatory reference	ACGIH 2023

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

melamine GPH (108-78-1)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	126 mg/kg bw/day
Acute - systemic effects, inhalation	21 mg/m³
Long-term - systemic effects, dermal	12,6 mg/kg bw/day
Long-term - systemic effects, inhalation	8,9 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0,63 mg/kg bw/day
Long-term - systemic effects, inhalation	2,2 mg/m³
Long-term - systemic effects, dermal	6,3 mg/kg bw/day
PNEC (Water)	
PNEC aqua (freshwater)	0,51 mg/l
PNEC aqua (marine water)	0,051 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	5,5 mg/kg dwt
PNEC sediment (marine water)	0,55 mg/kg dwt
PNEC (Soil)	
PNEC soil	1,6 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	22 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	200 mg/l
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1,25 mg/m³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	210 µg/m³

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

N,N-diethylhydroxylamine (3710-84-7)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	47 mg/kg bw/day
Acute - systemic effects, inhalation	45,6 mg/m³
Acute - local effects, inhalation	8,76 mg/m³
Long-term - systemic effects, dermal	70 mg/kg bw/day
Long-term - systemic effects, inhalation	49,3 mg/m³
Long-term - local effects, inhalation	2,92 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	2,5 mg/kg bw/day
Long-term - systemic effects, inhalation	8,7 mg/m³
Long-term - systemic effects, dermal	25 mg/kg bw/day
Long-term - local effects, inhalation	0,54 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	8,2 µg/l
PNEC aqua (marine water)	0,82 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,065 mg/kg dwt
PNEC sediment (marine water)	0,007 mg/kg dwt
PNEC (Soil)	
PNEC soil	6,4 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
1,2-propanediol (57-55-6)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	168 mg/m³
Long-term - local effects, inhalation	10 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	50 mg/m³
Long-term - local effects, inhalation	10 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	260 mg/l
PNEC aqua (marine water)	26 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	572 mg/kg dwt
PNEC sediment (marine water)	57,2 mg/kg dwt
PNEC (Soil)	
PNEC soil	50 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	20000 mg/l

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

No additional information available

#### 8.2.2.2. Skin protection

No additional information available

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Appearance	: Liquid.
Odour	: Oily.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: > 0,9 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available



# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2.2. Other safety characteristics

VOC content : 0 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Keep away from combustible material. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

### 10.5. Incompatible materials

Avoid oxidizing agents as well as strong acids and bases.

### 10.6. Hazardous decomposition products

Under fire conditions, hazardous fumes will be present.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

melamine GPH (108-78-1)	
LD50 oral rat	3161 – 3828 mg/kg bodyweight
LD50 dermal rabbit	> 1000 mg/kg
LC50 Inhalation - Rat	> 5,19 mg/l

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)	
LD50 oral rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 5,09 mg/l

N,N-diethylhydroxylamine (3710-84-7)	
LD50 oral rat	2190 mg/kg bodyweight
LD50 dermal rabbit	1300 mg/kg bodyweight
LC50 Inhalation - Rat	11,4 mg/l

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Suspected of causing cancer.

melamine GPH (108-78-1)	
IARC group	2B - Possibly carcinogenic to humans

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

### N,N-diethylhydroxylamine (3710-84-7)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

### melamine GPH (108-78-1)

STOT-repeated exposure	May cause damage to organs (urinary tract) through prolonged or repeated exposure.
------------------------	------------------------------------------------------------------------------------

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Not applicable.

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

### melamine GPH (108-78-1)

LC50 fish 1	> 3000 mg/l
-------------	-------------

EC50 Daphnia 1	200 mg/l
----------------	----------

EC50 96h - Algae [1]	325 mg/l
----------------------	----------

### titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ] (13463-67-7)

LC50 fish 1	> 1000 mg/l
-------------	-------------

EC50 Daphnia 1	> 1000 mg/l
----------------	-------------

EC50 72h - Algae [1]	> 100 mg/l
----------------------	------------

### N,N-diethylhydroxylamine (3710-84-7)

LC50 fish 1	> 134 mg/l
-------------	------------

EC50 Daphnia 1	8,2 mg/l
----------------	----------

ErC50 (algae)	> 101 mg/l
---------------	------------

## 12.2. Persistence and degradability

### melamine GPH (108-78-1)

ThOD	3,04 g O <sub>2</sub> /g substance
------	------------------------------------

### N,N-diethylhydroxylamine (3710-84-7)

Biochemical oxygen demand (BOD)	0,49 g O <sub>2</sub> /g substance
---------------------------------	------------------------------------

Chemical oxygen demand (COD)	2,38 g O <sub>2</sub> /g substance
------------------------------	------------------------------------

ThOD	2,7 g O <sub>2</sub> /g substance
------	-----------------------------------

## 12.3. Bioaccumulative potential

### melamine GPH (108-78-1)

BCF fish 1	0,05 – 0,11
------------	-------------

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### melamine GPH (108-78-1)

Log Pow	-1,22
---------	-------

### N,N-diethylhydroxylamine (3710-84-7)

Log Pow	< 0,5
---------	-------

## 12.4. Mobility in soil

### melamine GPH (108-78-1)

Log Koc	1,51
---------	------

Ecology - soil	Very mobile in the soil.
----------------	--------------------------

### N,N-diethylhydroxylamine (3710-84-7)

Surface tension	25,6 mN/m
-----------------	-----------

Log Koc	1,64
---------	------

Ecology - soil	Very mobile in the soil.
----------------	--------------------------

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations	: Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW, EC 2000/532)	: 08 01 12 - waste paint and varnish other than those mentioned in 08 01 11
H code	: Auto detect - Auto detect

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1\%$  or SCL: melamine GPH (EC 203-615-4, CAS 108-78-1)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 0 g/l

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

ABM category : A(4) - low hazard for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW-list of carcinogenic substances : None of the components are listed

SZW-list of mutagenic substances : None of the components are listed

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Breastfeeding

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Development

# Rubio Monocoat FR Oil 2C - comp. A

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Denmark**

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

**Switzerland**

Storage class (LK) : LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Carc. 2	Carcinogenicity, Category 2
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.