

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Rubio Monocoat Surface Care  
Type of product : Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use, Professional use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat  
Ambachtenstraat 58  
B 8870 Izegem  
Belgium  
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78  
[info@rubiomonocoat.com](mailto:info@rubiomonocoat.com), [www.rubiomonocoat.com](http://www.rubiomonocoat.com)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Muylle Facon B.V.B.A. - Rubio Monocoat	Ambachtenstraat 58 8870 Izegem	T +32 (0) 51 30 80 54	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
PHENOXYETHANOL (122-99-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Sodium dodecylbenzenesulfonate (25155-30-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium dodecylbenzenesulfonate	CAS-No.: 25155-30-0 EC-No.: 246-680-4 REACH-no: 01-2120088038-51	< 1	Acute Tox. 4 (Oral), H302 (ATE=438 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318
PHENOXYETHANOL	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943-21	0,1 – 5	Acute Tox. 4 (Oral), H302 (ATE=1394 mg/kg bodyweight) STOT SE 3, H335 Eye Dam. 1, H318
1,2-benzisothiazol-3(2H)-one (BIT)	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60	< 0,005	Acute Tox. 4 (Oral), H302 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0,05 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one (BIT)	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-60	(0,05 ≤ C < 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.  
First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
First-aid measures after skin contact : If on skin : Wash with plenty of soap and water.

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. In all cases of doubt, or when symptoms persist, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Get medical advice/attention if you feel unwell.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: None under normal use.
Symptoms/effects after eye contact	: None under normal use.
Symptoms/effects after ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Can't burn. Water mist, carbonic acid, foam or powder against surrounding fire.
------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable.
-------------	------------------

### 5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Prevent fire fighting water from entering the environment.
Protection during firefighting	: Self-contained breathing apparatus.
Other information	: Exercise caution when fighting any chemical fire.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8. Limit spread.
----------------------	---

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See above (see point 6.1/6.2/6.3).

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Do not eat, drink or smoke while using this product.  
Precautions for safe handling : Avoid contact with the eyes and prolonged contact with the skin. After use, wash with plenty of soap and water.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.  
Storage area : Store in a well-ventilated place. Keep container tightly closed.

#### 7.3. Specific end use(s)

See application - point 1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

###### PHENOXYETHANOL (122-99-6)

###### Finland - Occupational Exposure Limits

Local name	2-Fenoxietanol
HTP-arvo (8h) (mg/m³)	110 mg/m³
HTP-arvo (15 min)	290 mg/m³

###### Germany - Occupational Exposure Limits (TRGS 900)

Occupational exposure limit value (mg/m³)	110 mg/m³
Limitation of exposure peaks (mg/m³)	220 mg/m³

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

###### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

###### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	0,966 mg/kg bw/day
Long-term - systemic effects, inhalation	6,81 mg/m³

###### DNEL/DMEL (General population)

Long-term - systemic effects, inhalation	1,2 mg/m³
Long-term - systemic effects, dermal	0,345 mg/kg bw/day

###### PNEC (Water)

PNEC aqua (freshwater)	4,03 µg/l
PNEC aqua (marine water)	0,403 µg/l

###### PNEC (Sediment)

PNEC sediment (freshwater)	49,9 µg/kg dw
PNEC sediment (marine water)	4,99 µg/kg dw

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)</b>	
<b>PNEC (Soil)</b>	
PNEC soil	3 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	1,03 mg/l
<b>PHENOXYETHANOL (122-99-6)</b>	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	20,83 mg/kg bw/day
Long-term - systemic effects, inhalation	5,7 mg/m³
Long-term - local effects, inhalation	5,7 mg/m³
<b>DNEL/DMEL (General population)</b>	
Acute - systemic effects, oral	9,23 mg/kg bw/day
Long-term - systemic effects, oral	9,23 mg/kg bw/day
Long-term - systemic effects, inhalation	2,41 mg/m³
Long-term - systemic effects, dermal	10,42 mg/kg bw/day
Long-term - local effects, inhalation	2,41 mg/m³
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0,943 mg/l
PNEC aqua (marine water)	0,094 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	7,237 mg/kg dwt
PNEC sediment (marine water)	0,724 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	1,31 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	36 mg/l
<b>Sodium dodecylbenzenesulfonate (25155-30-0)</b>	
<b>DNEL/DMEL (Workers)</b>	
Acute - systemic effects, dermal	80 mg/kg bw/day
Acute - systemic effects, inhalation	52 mg/m³
Acute - local effects, dermal	1,57 mg/kg bw/day
Acute - local effects, inhalation	52 mg/m³
Long-term - systemic effects, dermal	57,2 mg/kg bw/day
Long-term - local effects, dermal	1,57 mg/kg bw/day
Long-term - systemic effects, inhalation	52 mg/m³
Long-term - local effects, inhalation	52 mg/m³
<b>DNEL/DMEL (General population)</b>	
Acute - systemic effects, dermal	40 mg/kg bw/day
Acute - systemic effects, inhalation	26 mg/m³

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium dodecylbenzenesulfonate (25155-30-0)	
Acute - systemic effects, oral	13 mg/kg bw/day
Acute - local effects, dermal	0,787 mg/cm²
Acute - local effects, inhalation	26 mg/m³
Long-term - systemic effects, oral	13 mg/kg bw/day
Long-term - systemic effects, inhalation	26 mg/m³
Long-term - systemic effects, dermal	28,6 mg/kg bw/day
Long-term - local effects, dermal	0,787 mg/cm²
Long-term - local effects, inhalation	26 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0,693 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	27,5 mg/kg dwt
PNEC sediment (marine water)	2,75 mg/kg dwt
PNEC (Soil)	
PNEC soil	25 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	20 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	50 mg/l

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

Eye protection			
Type	Use	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

#### 8.2.2.2. Skin protection

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
protective gloves	Nitrile rubber (NBR)	5 (> 240 minutes)	>0,3		EN 374-2

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Usually not necessary. In case of insufficient ventilation or spraying: Use approved mask with particle filter P2 (EN149). The filters have a limited service life (must be changed). Read the manufacturer's instructions.

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Respiratory protection

Device	Filter type	Condition	Standard
approved mask with particle filter P2	Type P2		EN 149

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

##### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: yellow.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: $\approx 0\text{ }^{\circ}\text{C}$
Freezing point	: Not available
Boiling point	: $\approx 100\text{ }^{\circ}\text{C}$
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: $\approx 7$
Viscosity, kinematic	: Not available
Solubility	: completely soluble.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: $\approx 1\text{ kg/l}$
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 0,075 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Avoid oxidizing agents as well as strong acids and bases. Stable in use and storage conditions as recommended in item 7.

### 10.2. Chemical stability

No additional information available

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

Bases. Acids. OXIDIZING AGENTS.

### 10.6. Hazardous decomposition products

On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

LD50 oral rat	> 300 – ≤ 2000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	100 mg/l

#### PHENOXYETHANOL (122-99-6)

LD50 oral rat	1850 mg/kg bodyweight
LD50 oral	1850 mg/kg bodyweight
LD50 dermal rat	14391 mg/kg
LD50 dermal	14391 mg/kg bodyweight
LC50 Inhalation - Rat	> 1 mg/l
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l

#### Sodium dodecylbenzenesulfonate (25155-30-0)

LD50 oral rat	438 mg/kg
LD50 oral	1086 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight
LD50 dermal	> 1000 mg/kg bodyweight
LC50 Inhalation - Rat	0,31 mg/l

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)  
pH: ≈ 7

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)  
pH: ≈ 7

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)



# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

### PHENOXYETHANOL (122-99-6)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met) (Based on available data, the classification criteria are not met)

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Not applicable.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

LC50 fish 1	2,18 mg/l
EC50 Daphnia 1	2,94 mg/l
EC50 other aquatic organisms 1	2,94 mg/l waterflea
EC50 other aquatic organisms 2	0,11 mg/l
ErC50 (algae)	150 µg/l

### PHENOXYETHANOL (122-99-6)

LC50 fish 1	154 mg/l
EC50 Daphnia 1	> 500 mg/l
EC50 other aquatic organisms 1	> 500 mg/l waterflea
EC50 other aquatic organisms 2	443 mg/l
ErC50 (algae)	> 100 mg/l

### Sodium dodecylbenzenesulfonate (25155-30-0)

LC50 fish 1	6 mg/l
LC50 fish 2	6,9 mg/l (96 h; Rita rita)
EC50 Daphnia 1	2,19 mg/l (96 h; Daphnia magna)
EC50 other aquatic organisms 1	6,9 mg/l waterflea
EC50 other aquatic organisms 2	> 50 mg/l
EC50 72h - Algae [1]	65,4 mg/l
Threshold limit algae 1	0,9 mg/l (96 h; Algae)

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### Rubio Monocoat Surface Care

Additional information	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
------------------------	---

#### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### Sodium dodecylbenzenesulfonate (25155-30-0)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

### 12.3. Bioaccumulative potential

#### Rubio Monocoat Surface Care

Bioaccumulative potential	Not established.
---------------------------	------------------

#### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

BCF fish 1	6,62
Log Pow	-0,9 – 0,99

#### PHENOXYETHANOL (122-99-6)

Log Pow	1,09
---------	------

#### Sodium dodecylbenzenesulfonate (25155-30-0)

BCF fish 1	286 (Lepomis macrochirus)
BCF fish 2	130 (Leuciscus idus)
Log Pow	1,96
Bioaccumulative potential	Slightly bioaccumulative.

### 12.4. Mobility in soil

#### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

Surface tension	72,6 mN/m
Log Koc	0,97
Ecology - soil	Very mobile in the soils.

#### PHENOXYETHANOL (122-99-6)

Surface tension	70,7 mN/m
Log Koc	1,6
Ecology - soil	Very mobile in the soils.

#### Sodium dodecylbenzenesulfonate (25155-30-0)

Surface tension	29,3 – 31,8 mN/m
Log Koc	3,96

### 12.5. Results of PBT and vPvB assessment

No additional information available

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW, EC 2000/532) : 16 10 01\* - aqueous liquid wastes containing dangerous substances

H code : Z

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Transport regulations (ADR) : Not applicable

#### Transport by sea

Transport regulations (IMDG) : Not applicable

#### Air transport

Transport regulations (IATA) : Not applicable

#### Inland waterway transport

No data available

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Rail transport

Transport regulations (RID) : Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	PHENOXYETHANOL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 0,075 g/l

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	%
anionic surfactants	<5%
BENZISOTHIAZOLINONE	
PHENOXYETHANOL	

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism
RG 66	Occupational rhinitis and asthma

### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

### Netherlands

ABM category : B(4) - low hazard for aquatic organisms

SZW-list of carcinogenic substances : None of the components are listed

SZW-list of mutagenic substances : None of the components are listed

NON-exhaustive list of reprotoxic substances - : None of the components are listed

Breastfeeding

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

# Rubio Monocoat Surface Care

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NON-exhaustive list of reprotoxic substances - : None of the components are listed  
Development

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.