

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Rubio Monocoat Tannin remover
UFI : CT60-402S-G00T-3RKJ

Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use, Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Muylle Facon B.V.B.A. - Rubio Monocoat
Ambachtenstraat 58
B 8870 Izegem
Belgium
T +32 (0) 51 30 80 54, F +32 (0) 51 30 99 78
info@rubiomonocoat.com, www.rubiomonocoat.com

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|---|-----------------------------|------------------|-----------------------------------|
| Australia | NSW Poisons Information Centre The Children's Hospital at Westmead | Locked Bag 4001 NSW 2145 | 13 11 26 | |
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--------------------------------|---|
| | GHS05 |
| CLP Signal word | : Danger |
| Contains | : oxalic acid |
| Hazard statements (CLP) | : H314 - Causes severe skin burns and eye damage. |
| Precautionary statements (CLP) | : P102 - Keep out of reach of children. P260 - Do not breathe spray, mist. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear protective gloves, eye protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. |

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component | |
|--|---|
| mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|------------|--|
| oxalic acid substance with national workplace exposure limit(s) (BE, DK, GB, CH) | CAS-No.: 144-62-7 EC-No.: 205-634-3 EC Index-No.: 607-006-00-8 REACH-no: 01-2119534576-33 | < 3 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Eye Dam. 1, H318 |
| mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) substance with national workplace exposure limit(s) (CH) | CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48 | <0.0000002 | Acute Tox. 2 (Inhalation), H330 (ATE=0,05 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=66 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) |

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: | | |
|---|---|--|
| Name | Product identifier | Specific concentration limits |
| mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1)) | CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-48 | (0,0015 ≤ C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤ C < 0,6) Eye Irrit. 2, H319 (0,06 ≤ C < 0,6) Skin Irrit. 2, H315 (0,6 ≤ C ≤ 100) Eye Dam. 1, H318 (0,6 ≤ C ≤ 100) Skin Corr. 1C, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : If medical advice is needed, have product container or label at hand. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Clean the area: Remove any clothing from the burned area. Hold the area under cool (not cold) running water for about 10 minutes. If the burn is on the face, apply a cool, wet cloth. |
| First-aid measures after eye contact | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Irritation persists. |
| First-aid measures after ingestion | : In all cases of doubt, or when symptoms persist, seek medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects | : If you feel unwell, seek medical advice. |
| Symptoms/effects after inhalation | : None under normal use. |
| Symptoms/effects after skin contact | : May cause chemical burns. |
| Symptoms/effects after eye contact | : Risk of serious damage to eyes. |
| Symptoms/effects after ingestion | : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor or emergency department.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|---|
| Suitable extinguishing media | : Water mist, carbonic acid, foam or powder against ambient fire. |
|------------------------------|---|

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Precautionary measures fire | : Evacuate area. |
| Firefighting instructions | : Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Self-contained breathing apparatus. Complete protective clothing. |
| Other information | : Exercise caution when fighting any chemical fire. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Emergency procedures | : Do not get in eyes, on skin, or on clothing. Use personal protective equipment - see point 8. Limit spread. |
|----------------------|---|

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Safety glasses. Protective gloves. Do not attempt to take action without suitable protective equipment. |
|----------------------|---|

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid discharge into the sewer - see point 12. Inform the local environmental authorities in the event of a release to the surroundings.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Liquid is absorbed with granules or similar. Collect in suitable containers. Rinse thoroughly with water. Further handling of spillage - see point 13. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|--------------------|----------------------------------|
| Storage conditions | : Keep container tightly closed. |
|--------------------|----------------------------------|

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)

Switzerland - Occupational Exposure Limits

| | |
|-------------|--|
| Local name | 5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on |
| VME [mg/m³] | 0,2 mg/m³ |
| VLE [mg/m³] | 0,4 mg/m³ |
| Notation | Keine Schädigung der Leibesfrucht bei Einhaltung des MAK-Werts |

oxalic acid (144-62-7)

Belgium - Occupational Exposure Limits

| | |
|--------------------------|--|
| Local name | Acide oxalique (anhydre) # Oxaalzuur (anhydraat) |
| Limit value [mg/m³] | 1 mg/m³ |
| Short time value [mg/m³] | 2 mg/m³ |
| Regulatory reference | Koninklijk besluit/Arrêté royal 11/05/2021 |

Denmark - Occupational Exposure Limits

| | |
|-------------------------------|----------|
| Local name | Oxalsyre |
| Grænseværdi (8 timer) (mg/m³) | 1 mg/m³ |
| Grænseværdi (STEL) (mg/m³) | 2 mg/m³ |

United Kingdom - Occupational Exposure Limits

| | |
|------------|-------------|
| Local name | Oxalic acid |
|------------|-------------|

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| oxalic acid (144-62-7) | |
|--|---------------------------------------|
| WEL TWA (mg/m³) | 1 mg/m³ |
| WEL STEL (mg/m³) | 2 mg/m³ |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |
| Switzerland - Occupational Exposure Limits | |
| VME [mg/m³] | 1 mg/m³ |
| VLE [mg/m³] | Kein Wert vorhanden. |
| Remark | Messmethoden = OSHA |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Oxalic acid, anhydrous |
| ACGIH TWA (mg/m³) | 1 mg/m³ |
| ACGIH STEL (mg/m³) | 2 mg/m³ |
| Remark (ACGIH) | TLV® Basis: URT, eye, & skin irr |
| Regulatory reference | ACGIH 2023 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

| mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9) | |
|--|-------------------|
| DNEL/DMEL (Workers) | |
| Acute - local effects, inhalation | 0,04 mg/m³ |
| Long-term - local effects, inhalation | 0,02 mg/m³ |
| DNEL/DMEL (General population) | |
| Acute - systemic effects, oral | 0,11 mg/kg bw/day |
| Acute - local effects, inhalation | 0,04 mg/m³ |
| Long-term - systemic effects,oral | 0,09 mg/kg bw/day |
| Long-term - local effects, inhalation | 0,02 mg/m³ |
| PNEC (Water) | |
| PNEC aqua (freshwater) | 3,39 µg/l |
| PNEC aqua (marine water) | 3,39 µg/l |
| PNEC (Sediment) | |
| PNEC sediment (freshwater) | 0,027 mg/kg dwt |
| PNEC sediment (marine water) | 0,027 mg/kg dwt |
| PNEC (Soil) | |
| PNEC soil | 0,01 mg/kg dwt |
| PNEC (STP) | |
| PNEC sewage treatment plant | 0,23 mg/l |

8.1.5. Control banding

No additional information available

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

During spraying wear suitable respiratory equipment.

8.2.2. Personal protection equipment

Personal protective equipment:

Protective goggles. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

| Eye protection | | | |
|----------------|---------|-------------------|----------|
| Type | Use | Characteristics | Standard |
| Safety glasses | Droplet | With side shields | EN 166 |

8.2.2.2. Skin protection

| Hand protection | | | | | |
|-------------------|----------------------|-------------------|----------------|-------------|----------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| protective gloves | Nitrile rubber (NBR) | 5 (> 240 minutes) | >0,3 | | EN 374-2 |

8.2.2.3. Respiratory protection

Respiratory protection:

Usually not necessary. In case of insufficient ventilation or spraying: Use approved mask with particle filter P2 (EN149). The filters have a limited service life (must be changed). Read the manufacturer's instructions.

| Respiratory protection | | | |
|---------------------------------------|-------------|-----------|----------|
| Device | Filter type | Condition | Standard |
| approved mask with particle filter P2 | Type P2 | | EN 149 |

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-----------------|
| Physical state | : Liquid |
| Colour | : Opaque. |
| Appearance | : Liquid. |
| Odour | : odourless. |
| Odour threshold | : Not available |
| Melting point | : ≈ 0 °C |
| Freezing point | : Not available |
| Boiling point | : ≈ 100 °C |

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---------------------------------|---------------------|
| Flammability | : Not available |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : ≈ 0,88 |
| Viscosity, kinematic | : Not available |
| Solubility | : Soluble in water. |
| Log Kow | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : 1,01 kg/l |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Avoid oxidizing agents as well as strong acids and bases.

10.6. Hazardous decomposition products

Fire may liberate carbon oxides (CO) and smoke.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2-isothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))

| | |
|---------------|---------------------|
| LD50 oral rat | 66 mg/kg bodyweight |
|---------------|---------------------|

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))

| | |
|-----------------------|------------------------|
| LD50 oral | 59 mg/kg bodyweight |
| LD50 dermal rat | > 141 mg/kg bodyweight |
| LD50 dermal | > 75 mg/kg bodyweight |
| LC50 Inhalation - Rat | 0,17 mg/l air |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes severe skin burns. pH: ≈ 0,88 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: ≈ 0,88 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|-------------------|
| Ecology - general | : Not applicable. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))

| | |
|--------------------------------|--|
| LC50 fish 1 | 0,28 mg/l (96 h; Lepomis macrochirus) |
| EC50 Daphnia 1 | 0,007 mg/l |
| EC50 other aquatic organisms 1 | 0,126 mg/l waterflea |
| EC50 other aquatic organisms 2 | 0,003 mg/l |
| ErC50 (algae) | 19,9 µg/l |
| Threshold limit algae 1 | 0,018 mg/l (72 h; Pseudokirchneriella subcapitata) |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9))

| | |
|------------|-------------|
| BCF fish 1 | 41 – 54 |
| Log Pow | -0,32 – 0,7 |

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC 220-239-6] (3:1) (C(M)IT/MIT (3:1) (55965-84-9)

| | |
|----------------|---------------------------|
| Log Koc | 0,81 – 1 |
| Ecology - soil | Very mobile in the soils. |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations.

Additional information : Clean up even minor leaks or spills if possible without unnecessary risk.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW, EC 2000/532) : 16 10 01* - aqueous liquid wastes containing dangerous substances

H code : Z

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 0 g/l

Detergent Regulation (648/2004/EC): Labelling of contents:

| Component | % |
|---|---|
| METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE | |
| BENZISOTHIAZOLINONE | |

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK)

: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category

: B(4) - low hazard for aquatic organisms

SZW-list of carcinogenic substances

: None of the components are listed

SZW-list of mutagenic substances

: None of the components are listed

NON-exhaustive list of reprotoxic substances -

: None of the components are listed

Breastfeeding

SZW-lijst van reprotoxische stoffen –

: None of the components are listed

Vruchtbaarheid

NON-exhaustive list of reprotoxic substances -

: None of the components are listed

Development

Denmark

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK)

: LK 8 - Corrosive materials

Rubio Monocoat Tannin remover

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 2 (Dermal) | Acute toxicity (dermal), Category 2 |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| Skin Corr. 1 | Skin corrosion/irritation, Category 1 |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1A | Skin sensitisation, category 1A |

The classification complies with : ATP 18

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.